

BEST AVAILABLE COPY

REMARKS

Claims 1-3, 10-14, 20, 22-26, and 30-51 are currently pending in the application. Claims 1, 14, 36, 40, 44, and 50 are amended. The amendments find support in the specification and are discussed in the relevant sections below. No new matter is added.

At the outset, Applicants would like to thank Examiner Hutson for taking the time to discuss the contents of this Office Action with Applicant's representative on January 30, 2006. The suggestions made by Examiner Hutson have been incorporated into this response.

Claim Objections

The Office Action states that claims 2 and 13 are objected to because they depend from rejected claims. Because prosecution is ongoing, Applicants are not taking any action at this time with respect to claims 2 and 13, but in the event that no allowable subject matter is found in the claims from which claims 2 and 13 depend, Applicants will take appropriate action to either cancel or amend claims 2 and 13.

Rejection of Claims 1, 3, 10-12, 14, 20, 22, 44, and 50 Under 35 U.S.C. §112, Second Paragraph

The Office Action states that claims 1, 3, 10-12, 14, 20, 22, 44, and 50 are rejected under §112, second paragraph for alleged indefiniteness. The Office Action states that claims 3, 14, 44, and 50 are indefinite because of the insertion of "SEQ ID NO: 10" into the claim. The Office Action states that the relationship of SEQ ID NO: 10 to JDF-3 DNA polymerase is unclear.

The claims were amended in Applicants' response of December 1, 2004 to include reference to the JDF-3 DNA polymerase amino acid sequence as suggested by the Examiner during a telephone interview between the Examiner and Applicants' representatives on June 21, 2004. Page 18 of the specification was amended to incorporate the amino acid sequence of JDF-3 from PCT application publication number WO 01/32887 into the specification, and the sequence was designated by the sequence identifier: SEQ ID NO: 10. Accordingly, it is clear from the specification as amended that SEQ ID NO: 10 is the amino acid sequence of JDF-3

DNA polymerase and, thus, the relationship between JDF-3 and SEQ ID NO: 10 is clear and unambiguous. To further clarify the relationship between JDF-3 and the sequence of SEQ ID NO: 10, claims 3, 14, 44, and 50 have been amended to recite “JDF-3 DNA polymerase having the sequence shown in SEQ ID NO: 10.”

The Office Action states that claims 1, 10-12, 20 and 22 are rejected as allegedly indefinite in their recitation of an enzyme that comprises DNA polymerization activity. Claims 1 and 12 have been amended to clarify that the first enzyme has the DNA polymerization activity of a DNA polymerase or a reverse transcriptase. Applicants believe that this amendment should obviate the rejection.

Applicants request that the rejections be reconsidered and withdrawn.

Rejection of Claims 1, 10-12, 20, 22, 36-39, 40-43, 44-47, and 48-51 Under 35 U.S.C. §112, First Paragraph

The Office Action states that claims 1, 10-12, 20, 22, 36-39, 40-43, 44-47, and 48-51 under §112, first paragraph for allegedly failing to comply with the written description requirement. The Office Action states that claims 1, 10-12, 20, and 22 are directed “to all possible enzyme mixtures comprising a first enzyme and a second enzyme wherein said first enzyme is any enzyme which comprises any DNA polymerization activity.” The Office Action states that the specification fails “to sufficiently describe the claimed invention, in such full, clear, concise, and exact terms that a skilled artisan would recognize Applicants were in possession of the claimed invention.” Applicants respectfully disagree and traverse the rejection.

The claims recite an enzyme that comprises “a DNA polymerization activity.” In support of this recitation, the specification teaches over 30 examples of specific enzymes that fall under this limitation. The specification teaches 16 different DNA polymerases that fall under the claim, 9 different reverse transcriptases, and teaches further numerous examples of mutations that can be made to enzymes that permit the enzyme to retain its DNA polymerization activity. If the Examiner does not agree that this is a representative number of species of enzyme having DNA polymerization activity to support the claim, Applicants request that the Examiner indicate

how many examples of enzymes having DNA polymerization activity would be a representative number. The Office Action suggests that because the enzymes disclosed in the specification can be grouped into two subgenera, and that because the specification does not describe other subgenera of enzymes having DNA polymerization activity, that the claims do not meet the written description requirement. The written description requirement “may be satisfied through sufficient description of a representative number of species...[s]atisfactory disclosure of a “representative number” depends on whether one of skill in the art would recognize that the applicant was in possession ...of the genus.” The question for determining whether the claims meet the written description requirement is, in part, whether the specification teaches enough species to evidence that Applicants, in view of the state of the art, were in possession of the invention, not whether the specification describes a sufficient number of sub-genera.

One of skill in the art would have no reason to doubt that Applicants were in possession of an enzyme comprising “a DNA polymerization activity.” As described in further detail below, enzymes that have DNA polymerization activity have been known in the art for almost 20 years. A search of PubMed using the term “DNA polymerization” returned over 2000 references, dated as early as 1960. Moreover, the specification provides over 30 specific examples of enzymes that comprise a DNA polymerization activity. Thus, one of skill in the art, reading the phrase “said enzyme comprises a DNA polymerization activity” would have a clear view of exactly what enzymes would fall under this claim. Nevertheless, solely for the purpose of advancing prosecution, claim 1 has been amended to recite “said first enzyme comprises a DNA polymerization activity of a DNA polymerase or reverse transcriptase.” This amendment should obviate the rejection. As amended, the instant claims satisfy the written description requirement, and Applicants accordingly request that the rejection be reconsidered and withdrawn.

The Office Action states that claims 36-39, 40-43, 44-47, and 48-51 are rejected for lack of written description “because each of these claims recite that the first enzyme is a Taq DNA polymerase...a KOD DNA polymerase...or a “JDF-3 DNA polymerase...when applicants have only described those Taq, KOD, and JDF-3 DNA polymerases described on page eleven of applicants specification.” The Office Action states that “[a]s an organism contains more than

one type of DNA polymerase, applicants have not described those DNA polymerases in addition to the single species on page eleven.” Applicants respectfully traverse the rejection.

With the respect to the recitation of a JDF-3 DNA polymerase in claims 44 and 50, these claims were amended previously to indicate that the claim refers to the JDF-3 sequence of SEQ ID NO: 10. The claims have been amended again herein, to make clear that the claims refer to JDF-3 DNA polymerase “having the sequence of SEQ ID NO: 10.” Accordingly, Applicants believe that the rejection is moot with respect to claims 44, 50, and their dependents.

Claim 36 has been amended to recite “Taq DNA polymerase” instead of “a Taq DNA polymerase” at the suggestion of Examiner Hutson, to clarify that the claim refers to the Taq DNA polymerase that is well known to those of skill in the art, and commercially available from numerous vendors. For example, there are over 30 issued U.S. patents by David Gelfand and Cetus corporation relating to the discovery and use of Taq polymerase, the earliest of which was issued in 1989. There are over 2400 literature references that refer to Taq polymerase, and date back to well before the filing date of the instant application. In addition, there are at least 20 commercial vendors of Taq polymerase (as shown in Exhibit A) from which one of skill in the art could obtain Taq for making the claimed invention. Accordingly, at the time the instant application was filed, one of skill in the art would have understood reference to “Taq DNA polymerase” to refer to the Taq polymerase (either native or recombinant) that was known in the art at the time, and that was readily commercially available.

Claim 40 has been amended to recite “KOD polymerase” instead of “a KOD polymerase” to clarify that the claim refers to the KOD DNA polymerase that is well known to those of skill in the art, and commercially available from several vendors. For example, the discovery, characterization, and use of KOD DNA polymerase is described in seven issued U.S. patents (issued as early as 1999), and more than 20 literature references dating back to 1997. In addition, KOD DNA polymerase is readily commercially available from vendors such as Novagen (Exhibit B), Invitrogen (Exhibit C), and Toyobo Co., Ltd. (Exhibit D). Accordingly, at the time the instant application was filed, one of skill in the art would have understood reference

to "KOD DNA polymerase" to refer to the KOD polymerase that was known in the art at the time, and that was readily commercially available.

Accordingly, one of skill in the art, would have understood "Taq DNA polymerase" or "KOD DNA polymerase" as recited in the claims to refer to the Taq and KOD DNA polymerases that were known in the art at the time the instant application was filed, and that were described in both the patent and non-patent literature available as of the instant filing date. The claims, therefore, describe the invention in sufficient detail to evidence to one of skill in the art that Applicants were in possession of the claimed invention. Applicants therefore request that the rejection be reconsidered and withdrawn.

Rejection of Claims 1-3, 10-14, 20, 22, and 36-51 for Obviousness-type Double Patenting

The Office Action states that claims 1-3, 10-14, 20, 22, and 36-51 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 64-70 and 75-87 of USSN 10/079,241. Without acquiescing to the rejection, Applicants intend to overcome this rejection by providing a Terminal Disclaimer in the instant case upon the notification of allowable claims.

Applicant submits that all claims are allowable as written and respectfully request early favorable action by the Examiner. If the Examiner believes that a telephone conversation with Applicant's attorney/agent would expedite prosecution of this application, the Examiner is cordially invited to call the undersigned attorney/agent of record.

Respectfully submitted,

Date: March 31, 2006



Name: Kathleen M. Williams
Registration No.: 34,389
Customer No.: 27495
Edwards Angell Palmer & Dodge LLP
P.O. Box 55874
Boston, MA 02205
Tel. (617) 239-0100

Exhibit A




































From the Suppliers




































- e-Newsletters

1/30/2006




























<div><div><div><div>• Print Newsletters</div><div>• Request Catalog</div><div>• Special Offers</div><div>• New Labs & Grants</div><div>• Promotions</div></div></div><div><div>Services</div><div><div>• Supplier Center</div><div>• Media Kit</div></div></div></div>	<input type="checkbox"/>	<div><div>AmpliTaq® DNA Polymerase with Buffer</div><div>II</div><div>Applied Biosystems</div><div><div>request info</div><div>Promotion</div></div><div>GET QUOTE</div><div>BUY NOW</div></div>	<div>Concentration: 5 U/µL</div> <div>Size: 1,000 U</div>
	<input type="checkbox"/>	<div><div>AmpliTaq® DNA Polymerase with Buffer</div><div>II</div><div>Applied Biosystems</div><div><div>request info</div><div>Promotion</div></div><div>GET QUOTE</div><div>BUY NOW</div></div>	<div>Concentration: 5 U/µL</div> <div>Size: 12 x 250 U</div>
	<input type="checkbox"/>	<div><div>AmpliTaq® DNA Polymerase with Buffer</div><div>II</div><div>Applied Biosystems</div><div><div>request info</div><div>Promotion</div></div><div>GET QUOTE</div><div>BUY NOW</div></div>	<div>Concentration: 5 U/µL</div> <div>Size: 5 x 1,000 U</div>
	<input type="checkbox"/>	<div><div>AmpliTaq® DNA Polymerase with Buffer</div><div>II</div><div>Applied Biosystems</div><div><div>request info</div><div>Promotion</div></div><div>GET QUOTE</div><div>BUY NOW</div></div>	<div>Concentration: 5 U/µL</div> <div>Size: 2 x 250 U</div>
	<input type="checkbox"/>	<div><div>AmpliTaq® DNA Polymerase with Buffer</div><div>II</div><div>Applied Biosystems</div><div><div>request info</div><div>Promotion</div></div><div>GET QUOTE</div><div>BUY NOW</div></div>	<div>Concentration: 5 U/µL</div> <div>Size: 250 U</div>
	<input type="checkbox"/>	<div><div>AmpliTaq® DNA Polymerase with Buffer</div><div>II</div><div>Applied Biosystems</div><div><div>request info</div><div>Promotion</div></div><div>GET QUOTE</div><div>BUY NOW</div></div>	<div>Concentration: 5 U/µL</div> <div>Size: 25 x 1,000 U</div>
	<input type="checkbox"/>	<div><div>AmpliTaq® DNA Polymerase, LD with Buffer I</div><div>Applied Biosystems</div><div>GET QUOTE</div><div>BUY NOW</div></div>	<div>Concentration: 5 U/µL</div> <div>Size: 250 U</div>

<http://www.biocompare.com/matrix.asp?catid=23>

								
DFS Taq DNA Polymerase (DNA-free, high sensitivity) Boca Scientific	Taq Full DNA Polymerase Enzyme Mix Clontech, a Takara Bio Company	Taq Full DNA Polymerase Enzyme Mix Clontech, a Takara Bio Company	Taq Full DNA Polymerase Enzyme Mix Clontech, a Takara Bio Company	MasterAmp™ Taq DNA Polymerase EPICENTRE	MasterAmp™ Taq DNA Polymerase Kit EPICENTRE	MasterAmp™ Taq DNA Polymerase Kit EPICENTRE	MasterAmp™ Taq DNA Polymerase Kit EPICENTRE	MasterAmp™ Taq DNA Polymerase Kit EPICENTRE
								
Concentration: 5 units/μl Size: 500 U	Concentration: Request Info Size: 100 U	Concentration: Request Info Size: 500 U	Concentration: Request Info Size: 5000 U	Concentration: 5 U/μl Size: 250 U	Concentration: 5 U/μl Size: 100 U	Concentration: 5 U/μl Size: 250 U	Concentration: 5 U/μl Size: 500 U	Concentration: 5 U/μl Size: 1,000 U
 	 	 	 	 	 	 	 	 
				\$95.00	\$55.00	\$100.00	\$190.00	\$360.00

									
<hr/>									
									
									
Concentration: 5 U/ul Size: 5,000 U									
									
<hr/>									
									
									
Concentration: 5 U/ul Size: 1,000 U									
									
<hr/>									
									
									
Concentration: 5 U/ul Size: 100 U									
									
<hr/>									
									
									
Concentration: 5 U/ul Size: 250 U									
									
<hr/>									
									
									
Concentration: 5 U/ul Size: 500 U									
									
<hr/>									
									
									
Concentration: 5 units/ul Size: 100 U									
									
<hr/>									
									
									
Concentration: 5 units/ul Size: 250 U									
									
<hr/>									
									
									
Concentration: 5 units/ul Size: 500 U									
									
<hr/>									
									
									
Concentration: 5 units/ul Size: 1,000 U									
									

<input type="checkbox"/>	request info	Article	
<input type="checkbox"/>	request info	GeneChoice® Taq DNA Polymerase With Ammonium Buffer GeneChoice, Inc.	Concentration: 5 U/ul Size: 1000 U \$195.00 BUY NOW
<input type="checkbox"/>	request info	GeneChoice® Taq DNA Polymerase With Combination Buffer GeneChoice, Inc.	Concentration: 5 U/ul Size: 1000 U \$195.00 BUY NOW
<input type="checkbox"/>	request info	GeneChoice® Taq DNA Polymerase With Magnesium Free Standard Buffer GeneChoice, Inc.	Concentration: 5 U/ul Size: 1000 U \$215.00 BUY NOW
<input type="checkbox"/>	request info	GeneChoice® Taq DNA Polymerase With Standard Buffer GeneChoice, Inc.	Concentration: 5 U/ul Size: 1000 U \$195.00 BUY NOW
<input type="checkbox"/>	request info	GeneChoice® Taq DNA Polymerase With Standard Buffer GeneChoice, Inc.	Concentration: 5 U/ul Size: 10,000 U \$1,560.00 BUY NOW
<input type="checkbox"/>	request info	Taq DNA Polymerase Recombinant Invitrogen	Concentration: 5U/ul Size: 3 x 500 U BUY NOW
<input type="checkbox"/>	request info	Taq DNA Polymerase Recombinant Invitrogen	Concentration: 5U/ul Size: 100 U BUY NOW
<input type="checkbox"/>	request info	Taq DNA Polymerase Recombinant Invitrogen	Concentration: 5U/ul Size: 5,000 U BUY NOW

	Taq DNA Polymerase Recombinant Invitrogen 	Concentration: 5U/µl Size: 500 U	
	Taq PCRx DNA Polymerase Invitrogen 	Concentration: 5U/µl Size: 500 U	
	MoBiTaq Polymerase (K) MoBiTec GmbH 	Concentration: 25 U/µl Size: 1000 U	 
	Taq DNA Polymerase New England Biolabs 	Concentration: 5 U/µl Size: 400 U	\$50.00
	Taq DNA Polymerase New England Biolabs 	Concentration: 5 U/µl Size: 2,000 U	\$200.00
	NovaTaq™ DNA Polymerase Novagen 	Concentration: 5 U/µl Size: 100 U	\$44.00 
	NovaTaq™ DNA Polymerase Novagen 	Concentration: 5 U/µl Size: 500 U	\$203.00 
	NovaTaq™ DNA Polymerase Novagen 	Concentration: 5 U/µl Size: 2,500 U	\$900.00 
	Taq DNA Polymerase in Storage Buffer A Promega	Concentration: 5u/µl Size: 100 U	
	Taq DNA Polymerase in Storage Buffer A	Concentration: 5u/µl Size: 500 U	

Copyright© 1999 - 2006 Biocompare, Inc. All rights reserved.
About Biocompare | Contact Us | Help | Privacy Policy | Disclaimer

The Buyer's Guide for Life Scientists.[™]

[Home](#) » [Molecular Biology](#) » ...[\(5\)](#) » [Taq Polymerase](#) » [Taq Polymerase \(Native\)](#)
advertisement


[Products](#) | [New Technologies](#) | [News](#) | [Promotions](#) | [Articles](#) | [Reviews](#) | [Videos](#) | [Resources](#) | [Forums](#) | [Events](#)
[Log In](#) | [Register](#) | [Advanced Search](#)

• [Show All Paths](#)

Taq Polymerase (Native)

Check mark up to 5 products from below to compare or request more information.

	Product ▼ / Company ▼	Specifications	Price ▼
<input type="checkbox"/>	BioTherm Taq DNA Polymerase eEnzyme LLC <input type="button" value="request info"/>	Size: 200 U Concentration: Request Info Form: Request Info	\$29.99
<input type="checkbox"/>	BioTherm Taq DNA Polymerase eEnzyme LLC <input type="button" value="request info"/>	Size: 500 U Concentration: Request Info Form: Request Info	\$69.99
<input type="checkbox"/>	SupraTaq DNA Polymerase eEnzyme LLC <input type="button" value="request info"/>	Size: 200 U Concentration: Request Info Form: Request Info	\$24.99
<input type="checkbox"/>	SupraTaq DNA Polymerase eEnzyme LLC <input type="button" value="request info"/>	Size: 500 U Concentration: Request Info Form: Request Info	\$54.99
<input type="checkbox"/>	Taq DNA Polymerase Native Invitrogen <input type="button" value="request info"/>	Size: 100 U Concentration: 5U/ μ l Form: Request Info	<input type="button" value="BUY NOW"/>
<input type="checkbox"/>	Taq DNA Polymerase Native Invitrogen <input type="button" value="request info"/>	Size: 500 U Concentration: 5U/ μ l Form: Request Info	<input type="button" value="BUY NOW"/>



From the Suppliers

• e-Newsletters

<input type="checkbox"/>	request info Taq DNA Polymerase Native Invitrogen	Size: 3 x 500 U Concentration: 5U/ μ l Form: Request Info	BUY NOW
<input type="checkbox"/>	request info Taq DNA Polymerase Native Invitrogen	Size: 5,000 U Concentration: 5U/ μ l Form: Request Info	BUY NOW
<input type="checkbox"/>	request info Taq DNA Polymerase Molecular Cloning Laboratories (MCLAB)	Size: 1 x 200 U Concentration: Request Info Form: Request Info	\$42.00
<input type="checkbox"/>	request info Taq DNA Polymerase Molecular Cloning Laboratories (MCLAB)	Size: 5 x 200 U Concentration: Request Info Form: Request Info	\$175.00
<input type="checkbox"/>	request info Taq DNA Polymerase Molecular Cloning Laboratories (MCLAB)	Size: 10 x 200 U Concentration: Request Info Form: Request Info	\$350.00
<input type="checkbox"/>	request info Taq DNA Polymerase Thermus aquaticus Sigma-Aldrich	Size: Request Info Concentration: Request Info Form: Request Info	GET QUOTE BUY NOW
<input type="checkbox"/>	request info Taq DNA Polymerase Thermus aquaticus Sigma-Aldrich	Size: Request Info Concentration: Request Info Form: Request Info	GET QUOTE BUY NOW
<input type="checkbox"/>	request info Taq DNA Polymerase Stratagene	Size: 100 U Concentration: 5 U/ μ l Form: native	GET QUOTE
<input type="checkbox"/>	request info Taq DNA Polymerase Stratagene	Size: 500 U Concentration: 5 U/ μ l Form: native	GET QUOTE

- [Print Newsletters](#)
- [Request Catalog](#)
- [Special Offers](#)
- [New Labs & Grants](#)
- [Promotions](#)

Services

- [Supplier Center](#)
- [Media Kit](#)

YB-TAQ DNA Polymerase

Yorkshire Bioscience Ltd

[request info](#)

YB-TAQ DNA Polymerase

Yorkshire Bioscience Ltd

[request info](#)

YB-TAQ DNA Polymerase

Yorkshire Bioscience Ltd

[request info](#)

Other Taq Polymerase (Native) Companies:

- [ABgene](#)

Size: 500 U
Concentration: 5 U/µl
[Form: Request Info](#)

\$47.00

Size: 2500 U
Concentration: 5 U/µl
[Form: Request Info](#)

\$185.00

Size: 10000 U
Concentration: 5 U/µl
[Form: Request Info](#)

\$555.00

[compare](#) [request info](#) [uncheck all](#)

[compare](#) [request information](#)

Check mark up to 5 products from above to compare or request more information.

NOTE: Biocompare disclaims any information on this site. Price information is approximate list price and actual prices may vary.

[Request Catalog](#) | [Jobs](#) | [Supplier Center](#) | [Supplier's eNewsletters](#) | [Supplier's Print Newsletters](#) | [Special Offers](#)
[Genomics Center](#) | [Drug Discovery Center](#) | [Product Centers](#)

[Molecular Biology](#) | [Lab Equipment](#) | [Tissue Culture](#) | [Cell Biology](#) | [Bio Services](#) | [Protein Biochemistry](#)
[Immunochemicals](#) | [Antibody Search](#) | [Browse Antibodies](#) | [Software](#) | [Microarrays](#)

[DNA Forums](#) | [RNA Forums](#) | [Protein Forums](#) | [Immunochemistry Forums](#) | [Tissue Culture Forums](#)
[New Technology](#) | [News](#) | [Promotions](#) | [Reviews](#) | [Videos](#) | [Resources](#) | [Articles](#) | [Newsletters](#)

Searching for medical products? Visit [Medcompare.com](#) | Searching for dental products? Visit [Dentalcompare.com](#)

VISIT OUR SISTER SITES:

[Searching for medical products? Visit Medcompare.com](#) | [Searching for dental products? Visit Dentalcompare.com](#)

Copyright© 1999 - 2006 Biocompare, Inc. All rights reserved.

[About Biocompare](#) | [Contact Us](#) | [Help](#) | [Privacy Policy](#) | [Disclaimer](#)

http://www.biocompare.com/matrix.asp?catid=5349

1/30/2006



- ▼ Novagen Product Spotlights
- ▼ Product Spotlights
- ▼ KOD DNA Polymerases
- KOD Citations by Application
- Overview
- KOD HiFi
- KOD Hot Start
- KOD XL

Product Keyword(s)

KOD DNA Polymerases Overview

- [KOD HiFi DNA Polymerase](#)
- [KOD Hot Start DNA Polymerase](#)
- [KOD XL DNA Polymerase](#)
- [KOD Citations by Application](#)
- [Back to KOD main page](#)

KOD DNA Polymerases Overview

We offer a complete selection of Novagen® enzymes and kits for PCR, featuring KOD HiFi DNA Polymerase. This unique proofreading enzyme, isolated from the extreme thermophile *Thermococcus kodakaraensis* KOD1, possesses superior processivity and fidelity that enables faster and more accurate PCR amplification than can be achieved with conventional enzymes, including *Pfu* DNA polymerase (1). KOD HiFi DNA Polymerase is also available in a hot start version for high specificity and increased read length (2), and as a blend (KOD XL DNA Polymerase) recommended for very long templates (3).

Species	DNA Polymerase			Taq
	KOD HiFi	<i>Pfu</i>	<i>Thermus aquaticus</i> YT-1	
<i>Thermococcus kodakaraensis</i>	0.0035	0.0039	0.013	
Elongation rate (bases/second)	106-138	25	61	
Processivity (nucleotide bases)	>300	< 20	not determined	

*Fidelity was measured by the authors as mutation frequency in PCR products using a sensitive blue/white phenotypic assay using a 5.2 kbp *lacZ* plasmid as template (1).

PCR Enzyme Selection Guide

Enzyme	PCR Product Size kbp	Elongation Rate bases/s	Specificity	Fidelity	GC-rich Templates	Yield	PCR Product Ends
KOD HiFi DNA Polymerase	< 6	120	●	■	■	■	blunt
KOD Hot Start DNA Polymerase	< 21	120	■	■	■	■	blunt
KOD XL DNA Polymerase	< 30	120	●	■	■	■	Mixed (blunt and 3'-dA)

● Satisfactory ▲ Good ■ Excellent

1. Takagi, M., et al. (1997) *Appl. Environ. Microbiol.* **63**, 4504–4510.
2. Mizuguchi, H., Nakatsuji, M., Fujiwara, S., Takagi, M., and Imanaka, T. (1999) *J. Biochem. (Tokyo)* **126**, 762–768.
3. Nishioka, M., Mizuguchi, H., Fujiwara, S., Komatsubara, S., Kitabayashi, M., Uemura, H., Takagi, M., and Imanaka, T. (2001) *J. Biotechnol.* **88**, 141–149.

[Change Country](#) | [Contact Us](#) | [Privacy Policy](#) | [Terms and Conditions](#)

©2006 Calbiochem, Clinalfa, Novabiochem, & Novagen
are brands of EMD Biosciences, Inc. an Affiliate of Merck KGaA, Darmstadt, Germany.
This site best viewed with Internet Explorer 5.5 or greater or Netscape 6 or greater.



AccuPrime™ *Pfx* DNA Polymerase

Cat. No. 12344-024 Size: 200 Reactions
 12344-032 1000 Reactions
 Conc. 2.5 U/μl Store at -20°C

Description

AccuPrime™ *Pfx* DNA Polymerase is a proprietary enzyme preparation containing recombinant DNA polymerase from *Thermococcus* species strain KOD (1,2). This polymerase possesses a proofreading 3' to 5' exonuclease activity that provides higher fidelity than *Pfu* DNA polymerase (3). AccuPrime™ *Pfx* DNA Polymerase is a highly processive enzyme and possesses a fast chain extension capability. It is provided in an antibody-bound form that is inactive at ambient temperatures. The enzyme regains activity after the initial denaturation step at 94°C in PCR cycling, providing an automatic "hot start" that increases specificity, sensitivity, and yield, while allowing room temperature assembly (4).

10X AccuPrime™ *Pfx* Reaction Mix contains thermostable AccuPrime™ proteins, MgSO₄, and dNTPs. Thermostable AccuPrime™ proteins enhance specific primer-template hybridization during every cycle of PCR (5). The high specificity, fidelity, and yield offered by AccuPrime™ *Pfx* DNA Polymerase make it ideal for demanding PCR applications such as site-directed mutagenesis and PCR expression cloning.

Reagents are provided for 200 or 1000 amplification reactions of 50 μl each.

<u>Component</u>	<u>200-Rxn kit</u>	<u>1000-Rxn kit</u>
AccuPrime™ <i>Pfx</i> DNA Polymerase (2.5 U/μl)	100 μl	500 μl
50-mM Magnesium Sulfate	1 ml	2 × 1 ml
10X AccuPrime™ <i>Pfx</i> Reaction Mix	1 ml	5 × 1 ml

Unit Definition

One unit of AccuPrime™ *Pfx* DNA Polymerase incorporates 10 nmol of deoxyribonucleotide into acid-insoluble material in 30 min at 74°C.

Part. no. 12344.pps

Rev. date: 07/11/03

This product is distributed for laboratory research only. CAUTION: Not for diagnostic use. The safety and efficacy of this product in diagnostic or other clinical uses has not been established.

For technical questions about this product, call the Invitrogen Tech-Line™ U.S.A. 800 955 6288

AccuPrime™ Pfx DNA Polymerase Storage Buffer

50-mM Tris-HCl (pH 8.0), 50-mM KCl, 1-mM DTT, 0.1-mM EDTA, stabilizers, and 50% (v/v) glycerol

Quality Control

AccuPrime™ Pfx DNA Polymerase is functionally tested in an amplification reaction using 100 ng of K562 genomic DNA. A DNA polymerization activity assay measures percent of DNA polymerase inhibition versus an uninhibited control. AccuPrime™ proteins are tested for absence of double- and single-strand endonuclease activity and absence of 5' and 3' exonuclease activity.

General Recommendations and Guidelines for PCR

PCR is a powerful technique capable of amplifying trace amounts of DNA. All appropriate precautions should be taken to avoid cross-contamination.

MgSO₄: MgSO₄ is included in the 10X AccuPrime™ Pfx Reaction Mix at a final concentration of 1 mM, which is sufficient for most templates. For further optimization, add 0.1 µl to 1.0 µl of 50-mM MgSO₄ (included in the kit) to the reaction.

dNTPs: dNTPs are included in the 10X AccuPrime™ Pfx Reaction Mix at a final concentration of 0.3 mM.

Annealing Temperature: The optimal annealing temperature should be 5–10°C lower than the T_m of the primers used; if necessary, gradually increase the annealing temperature by 2–3°C for higher specificity.

KCl: For difficult primer sets, prepare titrations of KCl (not included) at final concentrations of 20–50 mM for further optimization.

PCR Protocol

The following general procedure is suggested as a starting point when using AccuPrime™ *Pfx* DNA Polymerase in any PCR amplification.

1. Add the following components to an autoclaved microcentrifuge tube at either room temperature or on ice:

<u>Component</u>	<u>Volume</u>	<u>Final Conc.</u>
10X AccuPrime™ <i>Pfx</i> Reaction mix*	5 µl	1X
Primer mix (10 µM each)*	1.5 µl	0.3 µM each
Template DNA (10 pg–200 ng)	≥1 µl	As required
AccuPrime™ <i>Pfx</i> DNA Polymerase**	0.4–1 µl	1.0–2.5 units
Autoclaved, distilled water	to 50 µl	

*AccuPrime™ *Pfx* DNA Polymerase will not function in reactions that contain dUTP either in the primers or in the dNTP mix.

**For most targets, 1 unit is optimal. Higher concentrations may be inhibitory. More enzyme may be required for longer targets (>3 kb).

2. Mix contents of the tubes and overlay with mineral or silicone oil, if necessary. (Note: The oil overlay is unnecessary in thermal cyclers equipped with a heated lid.)
3. Cap the tubes and centrifuge briefly to collect the contents.
4. Denature the template for 2 min at 95°C. Perform 25–35 cycles of PCR amplification as follows:

Three-step cycling

Denature: 95°C for 15 s

Anneal: 55–64°C for 30 s

Extend: 68°C for 1 min per kb

Two-step cycling

Denature: 95°C for 15 s

Extend: 68°C for 1 min per kb

Note: Two-step cycling can be used for long primers with high T_m .

5. Maintain the reaction at 4°C after cycling. The samples can be stored at -20°C until use.
6. Analyze the products by agarose gel electrophoresis and visualize by ethidium bromide staining.

References

1. Takagi, M., Nishioka, M., Kakiyama, H., Kitabayashi, M., Inoue, H., Kawakami, B., Oka, M., and Imanaka, T. (1997) *Appl. Environ. Microbiol.*, 63, 4504-4510.
2. Nishioka M, Mizuguchi H, Fujiwara S, Komatsubara S, Kitabayashi M, Uemura H, Takagi M, Imanaka T. (2001) *J. Biotechnol.*, 88, 141-9.
3. Cline, J., Braman, and Hogrefe, H. H. (1996) *Nucleic Acid Res.*, 24, 3546.
4. Sharkey, D.J., Scalice, E.R., Christy, K.G., Atwood, S.M., Daiss, J.L. (1994) *BioTechnology*, 12, 506.
5. Rapley, R. (1994) *Mol. Biotechnol.*, 2, 295-298.

Limited Use Label License No. 1: Thermostable Polymerases

A license under U.S. Patents 4,683,202, 4,683,195, 4,965,188, and 5,075,216 or their foreign counterparts, owned by Roche Molecular Systems, Inc. and F. Hoffmann-La Roche, Ltd. ("Roche"), has an up-front fee component and a running-royalty component. The purchase price of this product includes limited, nontransferable rights under the running-royalty component to use only this amount of the product to practice the polymerase chain reaction (PCR) and related processes described in said patents solely for the research and development activities of the purchaser when this product is used in conjunction with a thermal cycler whose use is covered by the up-front fee component. Rights to the up-front fee component must be obtained by the end user in order to have a complete license. These rights under the up-front fee component may be purchased from Applied Biosystems or obtained by purchasing an Authorized Thermal Cycler. No right to perform or offer commercial services of any kind using PCR including, without limitation, reporting the results of the purchaser's activities for a fee or other commercial consideration, is hereby granted by implication or estoppel. Further information on purchasing licenses to practice the PCR process may be obtained by contacting the Director of Licensing at Applied Biosystems, 850 Lincoln Centre Drive, Foster City, California 94404 or at Roche Molecular Systems, Inc., 1145 Atlantic Avenue, Alameda, California 94501.

Limited Use Label License No. 14: Platinum® Products

Licensed to Invitrogen Corporation, under U.S. Patent Nos. 5,338,671; 5,587,287, and foreign equivalents for use in research only.

Limited Use Label License No. 33: AccuPrime™ Reagent

This product is sold under licensing arrangements with Stratagene. The purchase price of this product includes limited, nontransferable rights under U.S. Patents Nos. 5,449,603; 5,605,824; 5,646,019; and 5,773,257 and foreign equivalents owned by Stratagene to use only this amount of the product to practice the claims in said patents solely for activities of the purchaser within the field of research. Further information on purchasing licenses under the above patents may be obtained by contacting the Director of Business Development, Stratagene, 11011 North Torrey Pines Road, La Jolla, California 92037.


Limited Use Label License No. 134: AccuPrime™ Taq and AccuPrime™ Pfx

The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The buyer cannot sell or otherwise transfer: (a) this product (b) its components or (c) materials made using this product or its components to a third party or otherwise use this product or its components or materials made using this product or its components for Commercial Purposes. The buyer may transfer information or materials made through the use of this product to a scientific collaborator, provided that such transfer is not for any Commercial Purpose, and that such collaborator agrees in writing (a) not to transfer such materials to any third party, and (b) to use such transferred materials and/or information solely for research and not for Commercial Purposes. Commercial Purposes means any activity by a party for consideration and may include, but is not limited to: (1) use of the product or its components in manufacturing; (2) use of the product or its components to provide a service, information, or data; (3) use of the product or its components for therapeutic, diagnostic or prophylactic purposes; or (4) resale of the product or its components, whether or not such product or its components are resold for use in research. Invitrogen Corporation will not assert a claim against the buyer of infringement of patents owned by Invitrogen Corporation and claiming this product based upon the manufacture, use or sale of a therapeutic, clinical diagnostic, vaccine or prophylactic product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. If the purchaser is not willing to accept the limitations of this limited use statement, Invitrogen is willing to accept return of the product with a full refund. For information on purchasing a license to this product for purposes other than research, contact Licensing Department, Invitrogen Corporation, 1600 Faraday Avenue, Carlsbad, California 92008. Phone (760) 603-7200. Fax (760) 602-6500.

Limited Use Label License No. 136: Pfx DNA Polymerase

This product is manufactured for Invitrogen by Toyobo Co., Ltd.

©2003 Invitrogen Corporation. All rights reserved.



[HOME](#)
[Release](#)
[Corporate Information](#)
[Investor Relations](#)
[Products](#)
[R&D](#)
[Environmental Report](#)

[Support / Contact](#)
[Site map](#)
[Japanese](#)

KOD

Results : KOD (1 - 2 / 2)

Other keywords

Koditschek

pdf p12.pdf

We are currently developing instruments by this technology and technologies combining DNA polymerase KOD-Plus*, our product of high speed and high degree of accuracy. Upon the completion, we will be able to shorten PCR from one or two hours to about ve minutes at the shortest. In recent years, there are pathogenic microbes such as resistant

<http://www.toyobo.co.jp/e/annai/zaimu/annual/2005/p12.pdf>

Enzymes and Kits for genetic engineering uses

(rTaq DNA Polymerase [Standard], rTth DNA Polymerase [Low cost & High RT activity], KOD DNA Polymerase [Fast & High fidelity], KOD Dash[Fast & Reliable], KOD -Plus- [Fast, High Fidelity & Hot Start])
 ☆Kits for PCR, RT-PCR Amplifying PRO: takes rTaq DNA Polymerase, thermostable enzyme for PCR. RT-PCR high: Convenient kit for RT-PCR with M-MLV RTase

<http://www.toyobo.co.jp/e/seihin/xr/biolineups/genetic.html>

Exhibit D

@

3. Enzymes and Kits for genetic engineering uses

In order to meet the requirements in the age of new-biotechnology, TOYOBO has developed a series of restriction enzymes, and modifying enzymes for genetic engineering, PCR, RT-PCR, kits for purification of nucleic acids and Electrophoresis equipment to make a major contribution in the field.

TMThermostable enzymes for PCR

Convenient and highly efficient modifying enzymes for PCR.

(rTaq DNA Polymerase [Standard], rTth DNA Polymerase [Low cost & High RT activity], KOD DNA Polymerase [Fast & High fidelity], KOD Dash[®] [Fast & Reliable], KOD -Plus- [Fast, High Fidelity & Hot Start])

TMKits for PCR, RT-PCR

Amplifying PRO:

takes rTaq DNA Polymerase, thermostable enzyme for PCR.

RT-PCR high:


Convenient kit for RT-PCR with M-MLV RTase and rTaq DNA Polymerase.

RT-PCR high -Plus-:

requires only one step for RT-PCR using rTth DNA Polymerase (for reverse transcription and PCR).



PCR Kits



MagExtractor Series


TMMagExtractor :Kits for purification of nucleic acids and protein

6 types of nucleic acid purification kits and 1 protein purification kit, with magnetic beads to bind nucleic acids or protein.


(Genome, total RNA, Plasmid, Plant Genome, Viral RNA, PCR product and DNA from agarose gel, and His-tagged protein. MagicalTrapper, a magnetic particle separator to be used to obtain high quality nucleic acids or tagged proteins.)

TMGelMate[®]:

Submarine Agarose Gel Electrophoresis System with a timer and a fan to keep blur off on a display; A compact and convenient device for personal use in your lab.



GelMate®



Magical Trapper

KOD Dash and Gelmate are trademarks of TOYOBO in Japan

@

(B) a c k

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.